H.F

	Application No.	Applicant(s)		
Al-4' FAII 1 'I''	10/731,070	REBOA ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Timothy J. Thompson	2873		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>08/25/2004</u> .				
2. The allowed claim(s) is/are <u>1-4,7-19,22-32,35-43 and 46-61</u> .				
3. The drawings filed on 19 December 2003 are accepted by the Examiner.				
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Motice of Informal P	atent Application (PT)	D-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	 5. Notice of Informal Patent Application (PTO-152) 6. Interview Summary (PTO-413), Paper No./Mail Date 7. Examiner's Amendment/Comment 		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 18), 7. ☐ Examiner's Amendn			
Paper No./Mail Date	8. 🛭 Examiner's Stateme	nt of Reasons for Allo	wance	
of Biological Material	9.			

DETAILED ACTION

Allowable Subject Matter

Claims 1-4, 7-19, 22-32, 35-43, 46-61 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art taken either singularity or in combination fails to anticipate or fairly suggest the limitations of the independent claim, in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claim 1, 8, 16, 23, 29, 36, 40, 47, with the allowable features being the transparent plate has an uneven surface including a plurality of recessed areas, wherein the interface of the liquid is provided along the uneven surface within the recessed area(claim 1, 16, 29, 36, 40); a liquid having an index of refraction greater than one disposed within the cavity, wherein an interface of the liquid is oriented at an angle to a surface of the at least one electrode and oriented at an angle to a surface of the transparent plate, wherein light is adapted-to-pass through and refract at the interface of the liquid(claim 8, 47); a liquid having an index of refraction greater than one within the cavity, including orienting an interface of the liquid at an angle to a surface of the at least one electrode and at an angle to a surface of the transparent plate, wherein light is adapted-to-pass through and refract at the interface of the liquid(claim 23). Therefore claims 1-4, 7-19, 22-32, 35-43, 46-61 are allowed.

Art Unit: 2873

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy J. Thompson whose telephone number is (571) 272-2342. If the examiner can not be reached his supervisor, Georgia Epps, can be reached on (571)

272-2328.

T.J.T.

3/6/05

TIMOTHY THOMPSON PRIMARY EXAMINER